## RAW gable ends



Phone no: Email: Website: Version: +45 86 98 74 11 cube@cube-design.dk www.cube-design.dk/en 02-01-2024

CUBE

## Assembly manual for RAW gable ends

Parts list: 1. 2 x gable ends 2. 1 x metal frame in 2 or 3 pieces 3. 4,5 x 16 mm screws for brackets and magnets 4. 4 mm magnets 5. 4 mm washers



Cube Design A/S Vadstedvej 212 | DK-8450 Hammel | Phone no.: +45 86 98 74 11 | www.cube-design.dk/en | cube@cube-d

## Assembly manual for RAW gable ends

Step 1: Position the inner side of the RAW gable end as shown.



Step 2: Mount each of the metal frames with the supplied screws and washers in the pre-drilled holes: Place a washer between bracket and gable, and then mount a screw through the washer. For easier assembling use a universal joint or flexible bit holder.






Step 3: Place the outer gable on a soft non-scratching surface. Take care not to scratch the surface. Mount the supplied magnets with screws in the pre-drilled holes.



Vadstedvej 212 | DK-8450 Hammel | Phone no.: +45 86 98 74 11 | www.cube-design.dk/en | cube@cube-design.dk

## Assembly manual for RAW gable ends

Do not over-tighten the screws as the magnets may break.



Step 4: Place the outer gable in the metal frame, and gently push it in place, until the magnets snap. The RAW gable end is assembled and finished.

You can now mount other accessories, like cable tray or acoustic screen for Bench.



Enjoy your new RAW gable ends!

